

WEST Search History

[Hide Items](#)
[Restore](#)
[Clear](#)
[Cancel](#)

DATE: Tuesday, May 25, 2004

| Hide? | <u>Set Name</u> | <u>Query</u> | <u>Hit Count</u> |
|--------------------------|-----------------|---|------------------|
| | | <i>DB=EPAB; PLUR=YES; OP=ADJ</i> | |
| <input type="checkbox"/> | L18 | L13 | 2 |
| | | <i>DB=USPT; PLUR=YES; OP=ADJ</i> | |
| <input type="checkbox"/> | L17 | L16 | 32 |
| | | <i>DB=USPT,PGPB; PLUR=YES; OP=ADJ</i> | |
| <input type="checkbox"/> | L16 | L8 and (HTML or DHTML or SGML or XML or bookmaster) | 65 |
| | | <i>DB=JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i> | |
| <input type="checkbox"/> | L15 | L13 and (HTML or DHTML or SGML or XML or bookmaster) | 0 |
| <input type="checkbox"/> | L14 | L13 and (tag or tagging or tagged) | 2 |
| <input type="checkbox"/> | L13 | test plan or test?plan or testplan | 77 |
| | | <i>DB=USPT,PGPB; PLUR=YES; OP=ADJ</i> | |
| <input type="checkbox"/> | L12 | (L8 or L9) and L7 | 41 |
| <input type="checkbox"/> | L11 | L8 and tagging | 9 |
| <input type="checkbox"/> | L10 | L8 and tag | 63 |
| <input type="checkbox"/> | L9 | L8 and tag\$ | 55 |
| <input type="checkbox"/> | L8 | test plan or test?plan or testplan | 447 |
| <input type="checkbox"/> | L7 | L6 or L5 or L4 or L3 or L2 or L1 | 5847 |
| <input type="checkbox"/> | L6 | ((715/906 715/907 715/908 715/909 715/910 715/911)!.CCLS.) | 53 |
| <input type="checkbox"/> | L5 | ((715/513 715/523 715/524 715/536 715/537 715/538 715/539 715/540 715/541)!.CCLS.) | 2194 |
| <input type="checkbox"/> | L4 | ((712/226 712/227)!.CCLS.) | 731 |
| <input type="checkbox"/> | L3 | ((703/14 703/15)!.CCLS.) | 872 |
| <input type="checkbox"/> | L2 | ((702/118 702/119 702/120)!.CCLS.) | 447 |
| <input type="checkbox"/> | L1 | ((717/113 717/117 717/123 717/124 717/125 717/126 717/127 717/128 717/131 717/135 717/136 717/137)!.CCLS.) | 1657 |

END OF SEARCH HISTORY



US Patent & Trademark Office

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

+tag +"test plan"



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [tag](#) [test plan](#)

Found 16 of 134,837

Sort results
by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Display
results

expanded form



[Search Tips](#)

☐ Open results in a new window

Results 1 - 16 of 16

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Book review: Review of: Back to the User: Creating User-Focused Web Sites](#)

Daniel M. Brown

January 2003 **ACM SIGCHI Bulletin - a supplement to *interactions***, Volume 2003

Full text available: [pdf\(135.44 KB\)](#) Additional Information: [full citation](#), [index terms](#)



2 [Teaching future verification engineers: the forgotten side of logic design](#)

Fusun Ozguner, Duane Marhefka, Joanne DeGroat, Bruce Wile, Jennifer Stofer, Lyle Hanrahan
June 2001 **Proceedings of the 38th conference on Design automation**

Full text available: [pdf\(115.08 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)



This paper describes a senior/graduate level course in hardware logic verification being offered by The Ohio State University in cooperation with IBM. The need for the course is established through the growing importance of logic verification to users of custom logic designs. We discuss the short-term and long-term goals for the course, and describe the course content and format. The course relies heavily on lab projects to illustrate the main concepts. Three projects and a final project re ...

3 [Software process modelling: A precedence-based approach for proactive control in software process modelling](#)

Josep M. Ribó, Xavier Franch

July 2002 **Proceedings of the 14th international conference on Software engineering and knowledge engineering**

Full text available: [pdf\(204.70 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)



We present the proactive behavioural features of PROMENADE, a process modelling language for formalizing the construction of software process models. PROMENADE aims at improving expressiveness, standardization, flexibility and reuse in software process modelling. In this article we focus on expressiveness, which is achieved by means of a declarative (instead of imperative) proactive control-flow based on precedence relationships. Different families of such precedences have been defined within th ...

Keywords: UML, proactive control, software process models

4 [Mining features for sequence classification](#)

Neal Lesh, Mohammed J. Zaki, Mitsunori Ogihara




August 1999 **Proceedings of the fifth ACM SIGKDD international conference on Knowledge discovery and data mining**

Full text available:  pdf(780.89 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

5 **Multiprocessing design verification methodology for Motorola MPC74XX PowerPC microprocessor**

Jen-Tien Yen, Qichao Richard Yin

June 2000 **Proceedings of the 37th conference on Design automation**

Full text available:  pdf(73.14 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Multiprocessing (MP) design verification has been one of the bottlenecks for high performance microprocessor design projects. The problem is getting worse as the design complexity increases and more cache structures are integrated into one single chip. The challenges that MP verification faces today include: huge chip/system simulation model sizes, long simulation cycles, relative inefficiency of the simulation tools compared to uniprocessor, and so on. To solve these challenging problems, ...

6 **Quality engineering: How one product team met the quality challenge**

Mark Changfoot, Ted Fines, Rod Lawson, Nick Lecic, Pat Morenz, Doug Mortson, Pramod Patel, Shelagh Roberts, Sheik Sahib, Rollie Sing

October 1993 **Proceedings of the 1993 conference of the Centre for Advanced Studies on Collaborative research: software engineering - Volume 1**

Full text available:  pdf(1.63 MB) Additional Information: [full citation](#), [abstract](#), [references](#)

A primary goal of product development teams today is to ensure that quality is integral to everything they do. This article describes the initiatives the members of one product development team undertook to incorporate quality into every phase of their development process. The product was new, the team was new, and there was a strong commitment from every member of the team to prove just how much one product team could do to ensure the quality of its product. Development methodologies, process ma ...

7 **An approach to document processing**

Robert Katz

April 1983 **Proceedings of the 2nd annual international conference on Systems documentation**

Full text available:  pdf(146.65 KB) Additional Information: [full citation](#), [index terms](#)

8 **Testing large software with automated software evaluation systems**

C. V. Ramamoorthy, S. F. Ho

April 1975 **ACM SIGPLAN Notices , Proceedings of the international conference on Reliable software**, Volume 10 Issue 6

Full text available:  pdf(1.19 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In the past few years, research has been actively carried out in an attempt to improve the quality and reliability of large scale software systems. Although progress has been made on the formal proof of program correctness, proving large scale software systems correct by formal proof is still many years away. Automated software tools have been found to be valuable in improving software reliability and attacking the high cost of software systems. This paper attempts to describe some main fea ...

Keywords: Automated tools, Correctness, Performance, Software evaluation systems,

9 A real world conversion to SGML

Dee Stribling, Tim Hunter, Len Olszewski, Anne Corrigan, Randy Mullis, Lloyd Allen
October 1996 **Proceedings of the 14th annual international conference on Systems documentation: Marshaling new technological forces: building a corporate, academic, and user-oriented triangle**

Full text available:  [pdf\(1.19 MB\)](#) Additional Information: [full citation](#), [index terms](#)

10 An object-oriented approach to automated generation of challenge examinations using Ada 95


Arthur Irving Littlefield
January 1997 **ACM SIGAda Ada Letters**, Volume XVII Issue 1

Full text available:  [pdf\(1.04 MB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

The primary objective of this paper is to analyze and evaluate the usefulness of object-oriented development and the Ada 95 programming language as applied to a specific software development project. A secondary objective is to show that structured development is still useful while applying object-oriented development and that the two methods can be integrated. The project is to develop an automated tool for generation of challenge examinations to test the knowledge of students in a given subject ...

11 Automated aids for reliable software

Donald J. Reifer
April 1975 **ACM SIGPLAN Notices, Proceedings of the international conference on Reliable software**, Volume 10 Issue 6


Full text available:  [pdf\(1.18 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Recent investigations on the use of automation to realize the twin objectives of cost reduction and reliability improvement for computer programs developed for the U. S. Air Force are reported. The concepts of reliability and automation as they pertain to software are explained. Then, over twenty automated tools and techniques (aids) identified by this investigation are described and categorized. Based on the information reviewed, an assessment of the state of the technology is made. Finally ...

Keywords: Automation, Programming tools, Software reliability, programming techniques

12 Information systems curriculum recommendations for the 80s: undergraduate and graduate programs

Jay F. Nunamaker, J. Daniel Couger, Gordon B. Davis
November 1982 **Communications of the ACM**, Volume 25 Issue 11

Full text available:  [pdf\(2.20 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The recommendations of the 1972 and 1973 ACM Curriculum Committee on Information Systems programs have been influential in the development of degree programs at the bachelor's, master's, and doctoral levels. The earlier curriculum has been revised and updated based on advances in the field over the past nine years. The report discusses the continuing need for education related to the definition, analysis, design, construction, and management of information systems in organizations. The study ...

13 Developing single-source documentation for multiple formats

Cindy Roposh, Hanna Schoenrock

October 1996 **Proceedings of the 14th annual international conference on Systems documentation: Marshaling new technological forces: building a corporate, academic, and user-oriented triangle**

Full text available:  pdf(746.14 KB) Additional Information: [full citation](#), [citations](#), [index terms](#)

14 Effective software engineering pedagogy

Evelyn Stiller, Cathie LeBlanc

May 2002 **The Journal of Computing in Small Colleges**, Volume 17 Issue 6


Full text available:  pdf(49.69 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Accreditation standards have required computer science departments to teach software engineering for over a decade now. Industry statistics, however, suggest that good software engineering techniques often are not being carried out in large-scale software development projects, resulting in unusable software systems on which millions of dollars have been squandered. Society cannot afford to continue to squander precious resources on software fiascoes. We suggest that perhaps how we teach software ...

15 Abstraction-based software development

Valdis Berzins, Michael Gray, David Naumann

May 1986 **Communications of the ACM**, Volume 29 Issue 5

Full text available:  pdf(1.65 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

A five-year experience with abstraction-based software-development techniques in the university environment indicates that the investment required to support the paradigm in practice is returned in terms of greater ability to control complexity in large projects—provided there exists a set of software tools sufficient to support the approach.

16 Pair programming and pair trading: effects on learning and motivation in a CS2 course

Timothy H. DeClue

May 2003 **The Journal of Computing in Small Colleges**, Volume 18 Issue 5

Full text available:  pdf(72.67 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Pair programming is a seemingly powerful addition to the tool kit of educators wishing to enhance learning in software engineering students. This technique, found among professional software development practices associated with extreme programming (Beck), has probably existed informally for some time in various forms of collaborative software development. More recently pair programming has been formalized and used as an intentional pedagogical tool in the classroom. During the Spring semester o ...

Results 1 - 16 of 16

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

Searching for **test script and test plan and tag**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

1000 documents found. Retrieving documents... **Order: relevance to query.**

[Some Conservative Stopping Rules for the Operational Testing.. - Bev Littlewood \(1997\) \(Correct\) \(8 citations\)](#)
Some conservative stopping rules for the operational testing of safetycritical software Bev Littlewood
seine.pegasus.esprit.ec.org/deva/trs/./papers/04.ps

[Articulation: An Integrated Approach to the Diagnosis.. - Peiwei Mi, Walt Scacchi \(1993\) \(Correct\) \(8 citations\)](#)
:2 2 Partial definition for Develop-Change-and-Test-Unit :5 3 The
integrated approach to articulate software process plans that fail. The approach, called articulation,
www.usc.edu/dept/ATRIUM/Papers/Articulation.ps

[Learning Planning Operators by Observation and Practice - Wang \(1994\) \(Correct\) \(12 citations\)](#)
& Minton 1990 Carbonell et al. 1992) is the test-bed for our learning method. Our learning method
Learning Planning Operators by Observation and Practice Xuemei
www.rpal.rockwell.com/~mei/aips94.ps

[Performance Evaluation and Modeling of MPI Communications .. - Folino, Spezzano, Talia \(Correct\)](#)
Here we shortly describe the main features of the test programs. Ping-pong test. This test is based on
isi-cnr.deis.unical.it:1080/~talia/hpcn98.ps

[The Data Reduction Expert Assistant - Miller \(1992\) \(Correct\)](#)
3 -reduction task and it provided a suitable test case for the concept. CCD calibration consisted of
and the general plan was converted to an explicit script of image processing commands in the chosen
header information in the data files) develops a plan for data reduction based on a template supplied by
www.stsci.edu/~miller/draco/draco-aldb.ps

[Toward a Plan Steering Agent: Experiments with Schedule.. - Oates, Cohen \(1994\) \(Correct\) \(3 citations\)](#)
of schedule maintenance. We are not in this paper testing any specific hypothesis about plan steering,
Toward a Plan Steering Agent: Experiments with Schedule
www-eksl.cs.umass.edu/papers/94-02.ps

[Working Memory and Dyslexia - Fawcett, Baddeley \(1992\) \(Correct\)](#)
age controls on repetition of longer nonwords. On tests of memory span, all five groups showed the normal
ftp.shcf.ac.uk/pub/uni/projects/scp/lrgdocs/lrg913.ps

[Learning Algorithms For Classification: A.. - LeCun, Jackel.. \(1995\) \(Correct\) \(5 citations\)](#)
of characters that can be used for training and testing. At AT&T Bell Laboratories we have developed a
www.research.att.com/~leonb/PS/nnsmp.ps.gz

[HIT - A Hierarchical Environment for Interactive.. - Burch, Hartmann.. \(1994\) \(Correct\)](#)
Presented at: International Test Conference, Washington, D.C.1994 HIT -A
www-hotz.cs.uni-sb.de/~sparmann/publications/SFB124-93-20.ps.Z

[A Script Environment for the HDL Advisor Evaluation - Gerlach, Hardt, Eikerling, ... \(Correct\)](#)
command. HAQ_PATH: path to the Synopsys Advisor test environment haq. SEARCH_PATH: search path for
Page 1 of 8 A Script Environment for the HDL Advisor Evaluation J.
www.uni-paderborn.de/fachbereich/AG/campoag/Papers/GeHaEi96b.ps.gz

[Topic Detection and Tracking Pilot Study - Allan, Carbonell, Doddington.. \(1998\) \(Correct\)](#)
in a new project involving larger training and test corpora, more active participants, and a more
newswire data. As described in the TDT Evaluation Plan, the direct evaluation for a hypothesized
story texts and will exclude external and internal tag information. The segmentation task is to correctly
www.cs.cmu.edu/~yiming/papers.yy/tdt1-final-report.ps

Correction of a Memory Management Method for Lock-Free Data.. - Michael, Scott (1995) (Correct) (5 citations)
decrementing refct of the released node, and the **test**-and-set operation on the claim bit of the same
hypatia.dcs.qmw.ac.uk/data/edu/cs.rochester.edu/systems/95.tr599.Memory_management_for_lock-
free_data_structures.ps.gz

An Experiment in Automatic Generation of Test.. - Fernandez, Jard.. (1996) (Correct) (12 citations)
An Experiment in Automatic Generation of **Test** Suites for Protocols with Verification Technology
ftp.inria.fr/INRIA/publication/publi-ps-gz/RR/RR-2923.ps.gz

Selection of Test Points during High-Level Synthesis - Nagel (Correct)
Selection of **Test** Points during High-Level Synthesis Christof
ftp.uni-paderborn.de/doc/techreports/Informatik/tr-ri-94-140.ps.Z

A Reactive Plan Language - McDermott (1993) (Correct) (17 citations)
one for the false arm. There is no subtask for the **test**, e. It's important that expressions be Lisp forms
A Reactive **Plan** Language Drew McDermott 1 Overview RPL (Reactive
ftp.cs.yale.edu/WWW/pub/TR/tr864.ps.gz

Profile Aware Retrieval Optimizer for Continuous Media - Cyrus Shahabi (1997) (Correct)
type of display monitor) to generate a query **script**. This query **script** would capture all the
This results in a single possible retrieval **plan**. However, for a class of applications, we have
imsc-dmim.usc.edu/~dashti/Research/MyPapers/prime_wac98.ps

A Tool for Automatic Test Plan Generation For Mixed-Signal.. - Nur Engin (Correct)
A Tool for Automatic **Test Plan** Generation For Mixed-Signal Circuits Nur
www.stw.nl/programmas/prorisc/workshop/proc/psz/engin.ps.gz

Table 51: Topology error tests - Test Path (Correct)
(MPI_COMM_NULL) Table 51: Topology error **tests** **Test** path Description MPI Validation Suite 1.0
ftp.irisa.fr/pub/mirrors/netlib/mpi/mpi-1.1-test/mpitest_guide.ps.Z

Software Test Coverage and Reliability - Malaiya, Li, Bieman (1996) (Correct) (3 citations)
Computer Science Technical Report Software **Test** Coverage and Reliability Yashwant K. Malaiya
www.cs.colostate.edu/~ftppub/TechReports/1996/tr96-128.ps.Z

A Unified Network-based Approach for Online Recognition of.. - Lee, Kim (Correct)
of digit HMM. For experiment, we constructed **test** data set by different writers who did not
made for online recognition of handwritten **script** in multiple languages. In this paper, a
ai.kaist.ac.kr/~joony/ps/IWFHR_96.ps

First 20 documents [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [NEC](#) and [IST](#)

Searching for **test script and testplan and tag**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

1000 documents found. Retrieving documents... **Order: relevance to query.**

[A Script Environment for the HDL Advisor Evaluation - Gerlach, Hardt, Eikerling, ..](#) (Correct)

command. `HAQ_PATH`: path to the Synopsys Advisor test environment haq. `SEARCH_PATH`: search path for
Page 1 of 8 A Script Environment for the HDL Advisor Evaluation J.
www.uni-paderborn.de/fachbereich/AG/campoag/Papers/GeHaEi96b.ps.gz

[Some Conservative Stopping Rules for the Operational Testing.. - Bev Littlewood \(1997\)](#) (Correct) (8 citations)

Some conservative stopping rules for the operational testing of safetycritical software Bev Littlewood
seine.pegasus.esprit.ec.org/deva/trs/./papers/04.ps

[Performance Evaluation and Modeling of MPI Communications .. - Folino, Spezzano, Talia](#) (Correct)

Here we shortly describe the main features of the test programs. Ping-pong test. This test is based on
isi-cnr.deis.unical.it:1080/~talia/hpcn98.ps

[Working Memory and Dyslexia - Fawcett, Baddeley \(1992\)](#) (Correct)

age controls on repetition of longer nonwords. On tests of memory span, all five groups showed the normal
ftp.shef.ac.uk/pub/uni/projects/scp/lrgdocs/lrg913.ps

[The Data Reduction Expert Assistant - Miller \(1992\)](#) (Correct)

3-reduction task and it provided a suitable test case for the concept. CCD calibration consisted of
and the general plan was converted to an explicit script of image processing commands in the chosen
www.stsci.edu/~miller/draco/draco-aldb.ps

[A Unified Network-based Approach for Online Recognition of.. - Lee, Kim](#) (Correct)

of digit HMM. For experiment, we constructed test data set by different writers who did not
made for online recognition of handwritten script in multiple languages. In this paper, a
ai.kaist.ac.kr/~joony/ps/IWFHR_96.ps

[Topic Detection and Tracking Pilot Study - Allan, Carbonell, Doddington.. \(1998\)](#) (Correct)

in a new project involving larger training and test corpora, more active participants, and a more
story texts and will exclude external and internal tag information. The segmentation task is to correctly
there are 10 stories that have a YES or BRIEF tag for more than one event. One of these (story 8481)
www.cs.cmu.edu/~yiming/papers.yy/ttd1-final-report.ps

[The Mathematics of Set Predicates in Prolog - Börger, Rosenzweig \(1993\)](#) (Correct) (1 citation)

linux.eecs.umich.edu/5/groups/Ealgebras/bagof.ps.gz

[Page Segmentation Using Script Identification Vectors.. - Hochberg, Cannon.. \(1997\)](#) (Correct)

is developed for each connected component in the test document. The first element is the Hamming
Page Segmentation Using Script Identification Vectors: A First Look Judith
www.c3.lanl.gov/~kelly/pubs/sdiut.97/sdiut.97.ps.gz

[Correction of a Memory Management Method for Lock-Free Data.. - Michael, Scott \(1995\)](#) (Correct) (5 citations)

decrementing refct of the released node, and the test-and-set operation on the claim bit of the same
hypatia.dcs.qmw.ac.uk/data/edu/cs.rochester.edu/systems/95.tr599.Memory_management_for_lock-free_data_structures.ps.gz

[Learning Planning Operators by Observation and Practice - Wang \(1994\)](#) (Correct) (12 citations)

& Minton 1990 Carbonell et al. 1992) is the test-bed for our learning method. Our learning method
www.rpal.rockwell.com/~mei/aips94.ps

[Cspack Client-Server Routines And Utilities - Cern](#) (Correct)

Text file transfer Text file transfer, e.g. **scripts**, EXECs, CARD pams etc. GETB/PUTB Binary file
: 4 1.2.6 TAGIBM -A 3270 terminal emulator :
: 58 8 TELNETG and TAG59 9 SYSREQ and SYSREQ-TCP 60 9.1 The SYSREQ
wwwinfo.cern.ch/asdoc/.psdir/cspack.ps.gz

Towards 3-D model-based tracking and recognition of human.. - Gavrilă, Davis (1995) (Correct)
classification problem involving the matching of a **test** sequence with several reference sequences
www.umiacs.umd.edu/users/gavrilă/iwafgr.ps.Z

Mechanisms and Interfaces for Software-Extended Coherent Shared.. - Chaiken (1994) (Correct) (3 citations)
to do so. This dissertation proposes, designs, **tests**, measures, and models the novel softwareextended
management (CMMU) on each node holds the cache **tags** and implements the memory coherence protocol by
contains 100,000 memory cells (including the cache **tags**) and a sea of 90,000 gates of logic. Critical
ftp.cag.lcs.mit.edu/pub/papers/chaiken-dissert-1-10.ps.Z

The Graham Scan Triangulates Simple Polygons - Kong, Everett, Toussaint (1991) (Correct) (2 citations)
each step in the scan an appropriate constant time **test** is made. After each **test** either a point is deleted
www-cgri.cs.mcgill.ca/~godfried/publications/tri.scan.ps.gz

Intelligent Computing About Complex Dynamical Systems - Zhao (1994) (Correct)
systems for the purpose of experimenting and **testing** new ideas in control design. The Control
www.cis.ohio-state.edu/insight/papers/mcs.ps

The Design of a Test Case Definition Language - David Byers (1997) (Correct)
The Design of a Test Case Definition Language David Byers Magnus
www.ep.liu.se/ea/cis/1997/009/07/cis9700907.ps

Undoing and Managing a proof - Pons (1997) (Correct) (2 citations)
In this paper we work in the area of proof **script** management. We study the dependencies between
babar.inria.fr/pub/croap/oons/articleUITP.ps.gz

Script and Language Identification for Handwritten.. - Hochberg, Bowers.. (1998) (Correct)
analysis was used to classify new documents, and **tested** using writer-sensitive cross-validation.
p. 1 **Script** and Language Identification for Handwritten
www.c3.lanl.gov/~kelly/pubs/ijdar98B/submitted.ps.gz

dSCAM: Finding Document Copies across Multiple Databases - Garcia-Molina, Gravano.. (1996) (Correct)
using a collection of 50 databases and two sets of **test** documents. 1 Introduction In a renowned 1995
www-db.stanford.edu/pub/gravano/1996/pdis96.ps

First 20 documents [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [NEC](#) and [IST](#)

YAHOO!search

"test plan" "test script" tag

Yahoo! Search

Advance
Preferen

Web

Images








Directory

Yellow Pages

News

Products

TOP 20 WEB RESULTS out of about 151. Search took 0.51 seconds. ([What's this?](#))

1. [The Public Utility Commission of Texas Southwestern Bell \(SWB\) OSS Evaluation Master Test Plan](#) ... 99Comments DueB3/2/99Draft Master Test Plan to TAG13/3/99Comment Due13/8/99 ... 253.3.3.3Test Script
www.puc.state.tx.us/telecomm/projects/20000/20000arc/mastertp.pdf - 387k - [View as html](#)
2. <http://search.cpan.org/src/KANE/CPANPLUS-0.042/t/lib/Test/More.pm> 
package Test::More; use 5.004; use strict; use Test::Builder; # Can't use Carp because it might cause use_ok() to
module being used forgot to use Carp.
search.cpan.org/src/KANE/CPANPLUS-0.042/t/lib/Test/More.pm - 31k - [Cached](#) - [More pages from this site](#)
3. [Presented to the Trns·port Users Group IT TAG November 5, 2002 \(PDF\)](#) 
... port Users Group IT TAGNovember 5, 2002Important Disclosure ... A uniform, integrated **test plan** for all. Trns
test script and record results ...
www.tug.cloverleaf.net/2002TUG/Presentations/TestSuiteOverview.pdf - 195k - [View as html](#)
4. [\[cvsllog\] cvs commit: xmlstream/t/lib/Test Builder.pm More.pm Simple.pm](#) 
... import') { my(\$tag, \$imports) = splice @plan, \$idx, 2; @imports = @\$imports; last; } } \$Test->plan(@plan); __
your **test script** blowing up ...
www.jabberstudio.org/pipermail/cvsllog/2002-August/001756.html - 79k - [Cached](#)
5. <http://www.donald-firesmith.com/Components/WorkProducts/TestSet/ProjectTestPlan/ProjectTestPlanTemplate.dot>
Đĩ à± áþý þýýýx y z ¥ ... results of executing the **test script**. Inputs include: Project Test Plan Requirements Spe
complete if: Tag testing (e.g ...
www.donald-firesmith.com/Components/WorkProducts/TestSet/ProjectTestPlan/ProjectTestPlanTemplate.dot - 32
6. [Part of webdoc](#) 
... 2.2 Test method. 2.3 **Test plan**. 2.4 Time consumption ... **Test script**: A document, a program or object that sp
= plugin.parseArguments(list ...
sharpster.sourceforge.net/web-doc/test_report - 206k - [Cached](#)
7. [preview test plan](#) 
... Apache-based web server technology preview **test plan** version 1.3.19.01 ... JSP-Servlet-JSP. Simple custom
script report: argc is 0 ...
www.hp.com/products1/unix/webserver/apache/infolibrary/apache1312/plan.html - 89k - [Cached](#)
8. [\[Orca-checkins\] rev 166 - in trunk/orca: . packages packages/Storable-2.06 packages/Storable](#)
... probably have a huge **test script**. + Split it into ... import') { + my(\$tag, \$imports) = splice @plan, \$idx, 2; + @i
>plan(@plan ...
www.orcaware.com/pipermail/orca-checkins/2002-November/000082.html - 102k - [Cached](#)
9. <http://cpan.oss.eznetsols.org/authors/id/S/SO/SOFTDIA/Test-STDmaker-0.08.readme> 
... needed to create a **test script** resulting in reduction of ... Added DM Diagnostic Message tag Change the test s
Plan (STP) DID Software Test ...
cpan.oss.eznetsols.org/authors/id/S/SO/SOFTDIA/Test-STDmaker-0.08.readme
10. [GlobalTester \(Removing the Human Element\)](#) 

... is checked to determine if appropriate **tag** elements are used, if attributes for those **tag** elements are ... the low **script** would have to ...

www.globaltester.com/sp9/removing.html - 44k - [Cached](#)

11. [Removing the human element](#)

... is checked to determine if appropriate **tag** elements are used, if attributes for those **tag** elements are ... the low **script** would have to ...

www.scionlabs.com/pg-art-removing-the-human-element.htm - 63k - [Cached](#)

12. [Test Case Catalog \(TCC\) Overview](#)

... Creating a **Test Plan** ... catalog during their LENS (CLECs Only), **TAG** application and/or validity, and EDI ... T descriptions of each ...

www.interconnection.bellsouth.com/clectest/tcc_overview.html - 22k - [Cached](#)

13. [http://www.cs.sfu.ca/fas-info/cs/CC/275/fvandenb/2002/assignments/Function-Integration%20T\(MICROSOFT WORD\)](http://www.cs.sfu.ca/fas-info/cs/CC/275/fvandenb/2002/assignments/Function-Integration%20T(MICROSOFT%20WORD))

... Function/Integration **Test Plan**. Client: ... to the Phone field XML **tag** the following: WEB BOOKING and the ... and expected results. ...

www.cs.sfu.ca/fas-info/cs/CC/275/fvandenb/2002/assignments/Function-Integration%20Test%20Plan%20Samp .

14. [Software Test Automation](#)

... Issue Number: 10. Column **Tag**: Quality Control ... Just as soon as the **test script** is written changes in the ... A which defines ...

www.mactech.com/articles/mactech/Vol.13/13.10/SoftwareTestAutomation - 51k - [Cached](#)

15. [JMeter - User's Manual: Component Reference](#)

... Building a Web **Test Plan**. Building an Advanced Web **Test Plan** ... comma, so the csv **tag** is a misnomer in the listeners, a ...

jakarta.apache.org/jmeter/usermanual/component_reference.html - 181k - [Cached](#)

16. [Whatamess - Functional Specification](#)

... 2 and a new **tag** to test case DTD's (whatamess ... be used as basis for **Test Plan** and User Documentation ... on some ...

www.soberit.hut.fi/tik-76.115/00-01/palautukset/groups/Whatamess/t4/wm_fs.html - 116k - [Cached](#)

17. [John R](#)

... Software Quality Automated **Tag** Tester. Acceptance testing development and ... testing. Developed **Test Plan script** creation environment using MS ...

johnr.benavides.com/ - 29k - [Cached](#)

18. http://www.fts.gsa.gov/smartcard_b/conformance_tests/Test_Plan_for_Testing_Cards.doc (MIC

... **Test Plan** for. GSC-IS Compliance Testing ... under the Capability Tuples (CT) **tag** of the CCC should conform program contains ...

www.fts.gsa.gov/smartcard_b/conformance_tests/Test_Plan_for_Testing_Cards.doc - 45k - [View as html](#)

19. <http://www.portnov.com/.../keyboard/windowsdeveloper.htm>

... SQA, Test strategy, **Test plan**, Test environment, Execution ... Developed **test plan** based on IEEE standard . and regression **test script** ...

www.portnov.com/.../keyboard/windowsdeveloper.htm - 128k - [Cached](#)

20. [Whatamess - Recorder Module Testplan](#)

... Recorder Module **Test Plan**. Author: Jukka Pirinen ... least one step of the **test-script** is failed then the test ... m "/whatamess:session"-tag. ...

www.soberit.hut.fi/tik-76.115/00-01/palautukset/groups/Whatamess/t2/wm_tp_recorder.html - 23k - [Cached](#)

Results Page:
1 2 3 4 ► **Next**

Help us improve your search experience. [Send us feedback.](#)

Web

Images

Directory

Yellow Pages

News

Products

Your Search: "test plan" "test script" tag

Yahoo! Search

[Advanced Web Search
Preferences](#)

Yahoo! Search is hiring! [Learn about job opportunities](#)

[Save time with the Yahoo! Search Toolbar](#)



Copyright © 2004 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Submit Your Site](#)